

R E F E R E N C E S

- [1] BARONE, E. : Sulle misure semplicemente additive non continue, Atti Semin. mat. e fis. Univ. Modena (to be published).
- [2] DUNFORD, N. and SCHWARTZ, J.T.: Linear operators, Part I, Interscience, N.Y. (1958).
- [3] de FINETTI, B. : Probability, Induction and Statistics, Wiley, N.Y. (1972), Chapter 7.
- [4] GIANNONE, A. : Un'introduzione ai metodi non standard attraverso le misure semplicemente additive, Period. Matem. (to be published).
- [5] HENSON, C.W. : On the nonstandard representation of measures, Trans. Amer. Math. Soc., 172 (1972), pp.437-446.
- [6] HEWITT, E. and STROMBERG, K. : Real and Abstract Analysis, Springer-Verlag, Berlin (1969).
- [7] JOHNSON, R.A. : Atomic and nonatomic measures, Proc. Amer. Math. Soc., 25 (1970), pp. 650-655.
- [8] KEISLER, H. and TARSKI, A. : From accessible to inaccessible cardinals, Fund. Math. 53(1964), pp. 225-308.
- [9] LOEB, P.A. : Conversion from nonstandard to standard measure spaces and applications in probability theory, Trans. Amer. Math. Soc., 211 (1975), pp.113-122.
- [10] MAHARAM, D. : Finitely additive measures on the integers, Sankhya, 38 (A1)(1976), pp. 44-59
- [11] OXTOBY, J.C. : Measure and Category, Springer-Verlag, Berlin (1971).
- [12] SCOTT, D. : Boolean Models and Nonstandard Analysis, Applications of Model Theory to Algebra, Analysis and Probability, Holt Rinehart and Winston (1969), pp. 87-92.
- [13] SCOZZAFAVA, R. : Completa additività su opportune successioni di insiemi di una misura di probabilità semplicemente additiva e fortemente non atomica, Quad. Ist. Mat. Univ. Lecce, Q-9-1977.
- [14] SHOENFIELD, J.R. : Measurable cardinals, Logic Colloquium 1969 (Eds. R.Gandy and C.M.E.Yates, North-Holland (1969), pp. 19-49.

- [15] TARSKI, A. : Une contribution à la théorie de la mesure,
Fund. Math., 15(1930),pp. 42-50.
- [16] TULIPANI,S. : Sulle masse continue e invarianti per una tra
sformazione (to appear).
- [17] ULAM,S. : Zur Masstheorie in der allgemeinen Mengenlehre,
Fund. Math., 16 (1930), pp. 140-150.